



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
牌 号:
Steel Species
标 准:
Standard

佛山市泰裕达铝业集团有限公司
SUS304
JIS G4305:2021

合同号:
Contract No.
产品名称
Product Name

XDTYDGY2025-FSTYD0108B02
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
交货状态:
Delivery Condition

2025年02月19日
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
1	DL3510920A	SUS304	NO.2B	M	2.21	1250	453	9.997	0.037	0.93	0.39	0.028	0.005	8.00	18.09	0.059	54	704	320	169	J115003301	上开
2	DL3510705BB	SUS304	NO.2B	M	1.11	1250	932	10.182	0.033	0.92	0.39	0.030	0.006	8.02	18.12	0.063	54	707	322	174	J125000204	下开
3	DL1510676A	SUS304	NO.2B	M	0.71	1250	1496	10.334	0.045	0.89	0.48	0.026	0.004	8.00	18.03	0.056	56	705	351	166	J125007202	上开
4	DL1511544A	SUS304	NO.2B	M	0.71	1250	1498	10.394	0.049	0.93	0.47	0.026	0.005	8.00	18.04	0.057	57	696	313	165	J115015702	上开
5	DL3510708BB	SUS304	NO.2B	M	1.11	1250	953	10.411	0.048	0.91	0.46	0.025	0.003	8.00	18.05	0.058	52	713	324	167	J125006802	下开
6	DL1510709A	SUS304	NO.2B	M	0.71	1250	1504	10.414	0.047	0.91	0.41	0.025	0.003	8.00	18.12	0.060	52	716	300	167	J125009003	上开
7	DL3510618B	SUS304	NO.2B	M	1.11	1250	951	10.421	0.043	0.94	0.47	0.026	0.006	8.01	18.03	0.062	54	721	361	169	J115001603	下开
8	DL3511170B	SUS304	NO.2B	M	1.91	1250	551	10.434	0.046	0.97	0.56	0.028	0.007	8.02	18.16	0.052	55	725	316	172	J145008305	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.


产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
9	DL1510743A	SUS304	NO.2B	M	0.95	1250	1118	10.446	0.047	1.03	0.50	0.029	0.007	8.02	18.02	0.058	56	696	303	175	J145001802	上开
10	DL3510892A	SUS304	NO.2B	M	1.48	1250	721	10.528	0.041	0.97	0.50	0.029	0.003	8.01	18.06	0.059	52	727	301	168	J115003005	上开
11	DL1511311B	SUS304	NO.2B	M	0.91	1250	1201	10.594	0.041	0.90	0.45	0.026	0.008	8.00	18.04	0.058	57	690	301	169	J115009805	上开
12	DL1510670A	SUS304	NO.2B	M	0.75	1250	1452	10.596	0.046	0.90	0.45	0.026	0.005	8.01	18.04	0.050	53	711	369	175	J145002206	上开
13	DL3510898A	SUS304	NO.2B	M	1.41	1250	765	10.617	0.040	0.97	0.41	0.022	0.010	8.01	18.05	0.060	57	713	312	168	J145000102	下开
14	DL3510790A	SUS304	NO.2B	M	1.18	1250	917	10.622	0.059	0.90	0.41	0.027	0.005	8.02	18.12	0.053	54	703	311	179	J134342101	上开
15	DL3510896A	SUS304	NO.2B	M	1.41	1250	766	10.627	0.054	0.95	0.39	0.026	0.007	8.00	18.10	0.057	56	698	314	171	J125001102	上开
16	DL1510692A	SUS304	NO.2B	M	0.81	1250	1349	10.649	0.038	0.93	0.46	0.027	0.005	8.00	18.02	0.058	52	711	348	178	J114306106	上开

<p>说明：</p> <p>1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.</p> <p>2、边部Edge：M--Mill表示毛边，C--Cut表示切边。</p> <p>3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added.</p> <p>4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</p> <p>备注：本公司取得资质证书</p> <p>1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</p> <p>Remarks: Following quality certification is available:</p> <p>1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</p>		<p>质量负责人 Quality Manager</p> 
--	--	--



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达铝业集团有限公司

牌 号:
Steel Species
SUS304

标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
17	DL3510903A	SUS304	NO.2B	M	2.11	1250	509	10.655	0.038	0.90	0.44	0.028	0.005	8.01	18.00	0.054	52	706	306	176	J125003805	上开
18	DL3510800A	SUS304	NO.2B	M	1.41	1250	766	10.657	0.055	0.91	0.40	0.026	0.003	8.00	18.10	0.058	57	706	318	178	J115007301	上开
19	DL3510934A	SUS304	NO.2B	M	1.41	1250	769	10.657	0.038	0.93	0.48	0.025	0.003	8.02	18.13	0.058	54	717	319	165	J115006403	下开
20	DL1510601A	SUS304	NO.2B	M	1.21	1250	895	10.663	0.044	0.94	0.42	0.025	0.006	8.00	18.06	0.061	54	694	328	173	J115007506	上开
21	DL1511077A	SUS304	NO.2B	M	0.75	1250	1455	10.666	0.039	0.93	0.44	0.027	0.007	8.01	18.05	0.051	57	720	297	177	J135001704	上开
22	DL1510716A	SUS304	NO.2B	M	0.81	1250	1345	10.669	0.053	0.91	0.53	0.027	0.005	8.02	18.02	0.055	56	694	308	166	J115001701	下开
23	DL1511080A	SUS304	NO.2B	M	0.70	1250	1541	10.673	0.050	0.89	0.40	0.028	0.003	8.00	18.11	0.056	56	697	309	168	J125003502	上开
24	DL3510904A	SUS304	NO.2B	M	2.11	1250	509	10.685	0.041	0.96	0.38	0.024	0.006	8.01	18.17	0.058	53	714	309	171	J135003101	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.


产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
25	DL3510900A	SUS304	NO.2B	M	1.71	1250	630	10.691	0.034	0.92	0.43	0.025	0.003	8.01	18.15	0.053	54	696	307	172	J125007803	上开
26	DL1510695A	SUS304	NO.2B	M	1.01	1250	1080	10.707	0.054	0.98	0.49	0.028	0.004	8.01	18.02	0.057	55	683	299	176	J125000403	上开
27	DL1510677A	SUS304	NO.2B	M	0.71	1250	1551	10.713	0.038	0.90	0.38	0.025	0.007	8.02	18.03	0.051	52	690	353	170	J125008003	上开
28	DL1510694A	SUS304	NO.2B	M	1.01	1250	1081	10.717	0.040	0.98	0.42	0.027	0.007	8.01	18.09	0.055	54	693	356	178	J125001005	上开
29	DL3511397A	SUS304	NO.2B	M	1.81	1250	596	10.722	0.034	0.91	0.41	0.027	0.006	8.02	18.10	0.063	52	694	310	175	J135010505	上开
30	DL1510697A	SUS304	NO.2B	M	1.01	1250	1082	10.727	0.051	0.94	0.45	0.027	0.006	8.01	18.07	0.064	57	725	313	170	J115010001	上开
31	DL1510733A	SUS304	NO.2B	M	0.95	1250	1152	10.735	0.055	0.91	0.40	0.026	0.003	8.00	18.10	0.058	54	703	314	167	J115007302	上开
32	DL2510726A	SUS304	NO.2B	M	1.41	1250	771	10.737	0.037	0.97	0.43	0.026	0.003	8.02	18.09	0.056	52	712	310	171	J114306705	上开

<p>说明：</p> <p>1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.</p> <p>2、边部Edge：M--Mill表示毛边，C--Cut表示切边。</p> <p>3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added.</p> <p>4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</p> <p>备注：本公司取得资质证书</p> <p>1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</p> <p>Remarks: Following quality certification is available:</p> <p>1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</p>		<p>质量负责人 Quality Manager</p> 
--	--	--



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
33	DL1511557B	SUS304	NO.2B	M	0.71	1250	1552	10.753	0.044	0.96	0.46	0.026	0.006	8.02	18.01	0.057	58	686	299	177	J115013106	下开
34	DL3510968A	SUS304	NO.2B	M	1.31	1250	833	10.755	0.035	0.93	0.54	0.028	0.005	8.02	18.09	0.058	54	725	308	165	J115009001	上开
35	DL3510973A	SUS304	NO.2B	M	1.31	1250	832	10.755	0.049	0.98	0.50	0.025	0.003	8.01	18.07	0.060	54	708	311	165	J115009405	上开
36	DL1510738B	SUS304	NO.2B	M	0.98	1250	1134	10.766	0.049	0.87	0.52	0.027	0.004	8.01	18.13	0.049	53	716	303	176	J115007805	上开
37	DL1510597B	SUS304	NO.2B	M	1.11	1250	993	10.77	0.051	0.93	0.42	0.026	0.003	8.02	18.14	0.054	57	691	366	175	J125009701	上开
38	DL1510740B	SUS304	NO.2B	M	0.91	1250	1220	10.773	0.050	0.97	0.42	0.027	0.006	8.02	18.10	0.058	52	695	309	170	J115000703	上开
39	DL1511292A	SUS304	NO.2B	M	0.61	1250	1817	10.785	0.041	0.90	0.48	0.027	0.004	8.00	18.07	0.059	54	703	304	166	J115008501	下开
40	DL1510918A	SUS304	NO.2B	M	1.11	1250	979	10.8	0.038	0.92	0.40	0.025	0.004	8.02	18.12	0.057	54	706	313	165	J125007606	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王世林</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
牌 号:
Steel Species
标 准:
Standard

佛山市泰裕达铝业集团有限公司
SUS304
JIS G4305:2021

合同号:
Contract No.
产品名称
Product Name

XDTYDGY2025-FSTYD0108B02
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
交货状态:
Delivery Condition

2025年02月19日
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式	
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa				
					mm	mm	m		T														
41	DL2510720A	SUS304	NO.2B	M	1.41	1250	777	10.807	0.037	0.93	0.39	0.028	0.005	8.00	18.09	0.059	52	730	301	169	J115003304	上开	
42	DL2510723B	SUS304	NO.2B	M	1.41	1250	776	10.807	0.037	0.98	0.39	0.027	0.005	8.00	18.08	0.057	51	727	337	178	J134343105	上开	
43	DL1510731B	SUS304	NO.2B	M	0.91	1250	1222	10.813	0.046	0.94	0.55	0.026	0.004	8.00	18.01	0.064	56	709	303	168	J125008604	上开	
44	DL2510717A	SUS304	NO.2B	M	1.41	1250	776	10.817	0.040	0.97	0.41	0.022	0.010	8.01	18.05	0.060	53	696	301	171	J145000103	上开	
45	DL1510727A	SUS304	NO.2B	M	0.88	1250	1256	10.822	0.047	1.03	0.50	0.029	0.007	8.02	18.02	0.058	56	693	310	166	J145001801	上开	
46	DL2510712A	SUS304	NO.2B	M	1.48	1250	739	10.828	0.053	0.90	0.44	0.027	0.007	8.02	18.02	0.059	56	710	300	168	J125003401	上开	
47	DL3511122A	SUS304	NO.2B	M	1.11	1250	985	10.83	0.037	0.95	0.43	0.027	0.004	8.02	18.06	0.053	52	694	305	170	J115004902	上开	
48	DL3511124A	SUS304	NO.2B	M	1.11	1250	984	10.83	0.055	0.89	0.48	0.026	0.005	8.00	18.00	0.058	52	699	301	168	J125006106	上开	
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王桂林</div>	



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.


产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
49	DL1510727B	SUS304	NO.2B	M	0.88	1250	1266	10.842	0.047	1.03	0.50	0.029	0.007	8.02	18.02	0.058	53	693	313	165	J145001801	上开
50	DL1510729B	SUS304	NO.2B	M	0.91	1250	1225	10.843	0.032	0.95	0.43	0.024	0.008	8.00	18.11	0.060	55	721	310	168	J115007402	上开
51	DL1510745A	SUS304	NO.2B	M	0.91	1250	1217	10.843	0.053	0.91	0.52	0.026	0.002	8.01	18.02	0.057	54	707	304	172	J145001501	上开
52	DL1510780A	SUS304	NO.2B	M	0.91	1250	1219	10.843	0.043	0.91	0.42	0.024	0.006	8.00	18.07	0.060	52	728	304	171	J115009205	上开
53	DL1510730A	SUS304	NO.2B	M	0.91	1250	1219	10.853	0.047	0.92	0.49	0.030	0.005	8.01	18.02	0.057	53	704	308	166	J115002101	上开
54	DL1510740A	SUS304	NO.2B	M	0.91	1250	1221	10.853	0.050	0.97	0.42	0.027	0.006	8.02	18.10	0.058	53	729	301	166	J115000703	上开
55	DL2510721A	SUS304	NO.2B	M	1.48	1250	741	10.858	0.046	0.94	0.55	0.026	0.004	8.00	18.01	0.064	55	693	301	172	J125008602	上开
56	DL1510729A	SUS304	NO.2B	M	0.91	1250	1219	10.863	0.032	0.95	0.43	0.024	0.008	8.00	18.11	0.060	56	722	305	172	J115007402	上开

<p>说明：</p> <p>1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.</p> <p>2、边部Edge：M--Mill表示毛边，C--Cut表示切边。</p> <p>3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added.</p> <p>4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</p> <p>备注：本公司取得资质证书</p> <p>1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</p> <p>Remarks: Following quality certification is available:</p> <p>1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</p>		<p>质量负责人 Quality Manager</p> 
--	--	--



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
57	DL2510719A	SUS304	NO.2B	M	1.48	1250	743	10.868	0.048	0.97	0.39	0.029	0.005	8.00	18.00	0.055	53	736	337	179	J115000602	上开
58	DL1510607B	SUS304	NO.2B	M	0.88	1250	1272	10.871	0.037	0.98	0.39	0.027	0.005	8.00	18.08	0.057	57	691	340	172	J134343101	上开
59	DL1510738A	SUS304	NO.2B	M	0.98	1250	1136	10.876	0.049	0.87	0.52	0.027	0.004	8.01	18.13	0.049	53	716	303	176	J115007805	上开
60	DL2510857A	SUS304	NO.2B	M	1.91	1250	576	10.883	0.058	0.90	0.38	0.025	0.004	8.01	18.16	0.056	54	728	303	165	J115006805	上开
61	DL1510728B	SUS304	NO.2B	M	0.91	1250	1232	10.893	0.046	0.90	0.43	0.029	0.006	8.00	18.00	0.058	52	724	314	171	J125003301	上开
62	DL2510851B	SUS304	NO.2B	M	1.91	1250	575	10.893	0.048	0.96	0.52	0.025	0.004	8.00	18.00	0.061	54	700	308	169	J145001304	下开
63	DL1510670B	SUS304	NO.2B	M	0.75	1250	1493	10.895	0.046	0.90	0.45	0.026	0.005	8.01	18.04	0.050	54	716	365	174	J145002206	上开
64	DL1510781B	SUS304	NO.2B	M	0.95	1250	1165	10.905	0.047	1.03	0.50	0.029	0.007	8.02	18.02	0.058	57	704	316	168	J145001803	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王世林</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达铝业集团有限公司

牌 号:
Steel Species
SUS304

标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
65	DL2510749B	SUS304	NO.2B	M	1.91	1250	577	10.913	0.050	0.91	0.44	0.029	0.003	8.00	18.03	0.058	55	695	308	167	J125003701	上开
66	DL2510717B	SUS304	NO.2B	M	1.41	1250	782	10.916	0.040	0.97	0.41	0.022	0.010	8.01	18.05	0.060	57	725	307	166	J145000103	上开
67	DL1510586A	SUS304	NO.2B	M	1.08	1250	1026	10.919	0.054	0.92	0.52	0.029	0.006	8.00	18.03	0.063	54	698	304	179	J125008501	上开
68	DL1510597A	SUS304	NO.2B	M	1.11	1250	998	10.92	0.051	0.93	0.42	0.026	0.003	8.02	18.14	0.054	54	727	325	166	J125009701	上开
69	DL2510705A	SUS304	NO.2B	M	1.71	1250	642	10.921	0.034	0.96	0.42	0.026	0.007	8.02	18.08	0.063	53	717	321	177	J144311904	上开
70	DL1510733B	SUS304	NO.2B	M	0.95	1250	1180	10.924	0.055	0.91	0.40	0.026	0.003	8.00	18.10	0.058	56	700	303	171	J115007302	上开
71	DL2510721B	SUS304	NO.2B	M	1.48	1250	746	10.928	0.046	0.94	0.55	0.026	0.004	8.00	18.01	0.064	52	702	308	168	J125008602	上开
72	DL2511421B	SUS304	NO.2B	M	1.98	1250	559	10.953	0.045	0.90	0.40	0.024	0.005	8.03	18.12	0.063	55	677	311	179	J145006004	下开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王桂林</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
牌 号:
Steel Species
标 准:
Standard

佛山市泰裕达铝业集团有限公司
SUS304
JIS G4305:2021

合同号:
Contract No.
产品名称
Product Name

XDTYDGY2025-FSTYD0108B02
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
交货状态:
Delivery Condition

2025年02月19日
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
73	DL2510723A	SUS304	NO.2B	M	1.41	1250	788	10.956	0.037	0.98	0.39	0.027	0.005	8.00	18.08	0.057	51	727	337	178	J134343105	上开
74	DL2510713B	SUS304	NO.2B	M	1.48	1250	748	10.957	0.049	0.96	0.42	0.027	0.007	8.01	18.05	0.055	56	718	307	168	J135001901	上开
75	DL2511147B	SUS304	NO.2B	M	1.98	1250	563	10.993	0.043	0.94	0.45	0.024	0.004	8.01	18.03	0.058	51	713	320	176	J144312102	上开
76	DL1510666B	SUS304	NO.2B	M	0.78	1250	1434	10.996	0.039	0.95	0.41	0.026	0.007	8.02	18.08	0.062	55	725	362	165	J144311101	上开
77	DL2510720B	SUS304	NO.2B	M	1.41	1250	791	11.006	0.037	0.93	0.39	0.028	0.005	8.00	18.09	0.059	56	707	308	170	J115003304	上开
78	DL1510720B	SUS304	NO.2B	M	0.81	1250	1409	11.067	0.047	0.91	0.43	0.023	0.007	8.01	18.04	0.055	53	722	311	170	J115000802	上开
79	DL1511311A	SUS304	NO.2B	M	0.91	1250	1248	11.082	0.041	0.90	0.45	0.026	0.008	8.00	18.04	0.058	57	692	318	170	J115009805	上开
80	DL2510726B	SUS304	NO.2B	M	1.41	1250	796	11.096	0.037	0.97	0.43	0.026	0.003	8.02	18.09	0.056	54	694	302	165	J114306705	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王桂林</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
81	DL3510973B	SUS304	NO.2B	M	1.31	1250	859	11.114	0.049	0.98	0.50	0.025	0.003	8.01	18.07	0.060	56	693	310	170	J115009405	上开
82	DL3510898B	SUS304	NO.2B	M	1.41	1250	800	11.126	0.040	0.97	0.41	0.022	0.010	8.01	18.05	0.060	54	720	300	172	J145000102	上开
83	DL1511092B	SUS304	NO.2B	M	0.75	1250	1524	11.144	0.042	0.89	0.44	0.026	0.008	8.01	18.01	0.057	56	717	316	172	J145007703	上开
84	DL3510984B	SUS304	NO.2B	M	1.41	1250	806	11.156	0.047	0.92	0.47	0.028	0.004	8.02	18.03	0.056	55	691	308	172	J125007303	上开
85	DL3510896B	SUS304	NO.2B	M	1.41	1250	809	11.216	0.054	0.95	0.39	0.026	0.007	8.00	18.10	0.057	56	693	300	170	J125001102	下开
86	DL3510618A	SUS304	NO.2B	M	1.11	1250	1026	11.229	0.043	0.94	0.47	0.026	0.006	8.01	18.03	0.062	57	712	346	167	J115001603	下开
87	DL3510934B	SUS304	NO.2B	M	1.41	1250	811	11.236	0.038	0.93	0.48	0.025	0.003	8.02	18.13	0.058	53	697	310	172	J115006403	上开
88	DL1510743B	SUS304	NO.2B	M	0.95	1250	1214	11.243	0.047	1.03	0.50	0.029	0.007	8.02	18.02	0.058	56	696	303	175	J145001802	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。 non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王世林</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219012
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达铝业集团有限公司

牌 号:
Steel Species
SUS304

标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m	T														
89	DL1511095B	SUS304	NO.2B	M	0.71	1250	1647	11.28	0.052	0.88	0.43	0.026	0.005	8.00	18.04	0.059	54	708	317	166	J135006301	上开
90	DL1510709B	SUS304	NO.2B	M	0.71	1250	1640	11.28	0.047	0.91	0.41	0.025	0.003	8.00	18.12	0.060	52	703	300	170	J125009003	上开
91	DL1510676B	SUS304	NO.2B	M	0.71	1250	1662	11.419	0.045	0.89	0.48	0.026	0.004	8.00	18.03	0.056	54	704	330	172	J125007202	上开
合计Total								983.923														
说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification. 备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。 Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.																						<div>质量负责人 Quality Manager 质量专用章</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219013
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达铝业集团有限公司

牌 号:
Steel Species
SUS304


标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m	T														
1	DL34C1174BB	SUS304	NO.2B	M	1.82	1250	523	9.499	0.033	0.93	0.47	0.026	0.004	8.00	18.05	0.060	56	723	316	169	J144293101	上开
2	DL34C1415B	SUS304	NO.2B	M	1.31	1250	767	9.847	0.039	0.91	0.44	0.024	0.009	8.03	18.03	0.059	54	728	312	170	J114285402	上开
3	DL14C0583AA	SUS304	NO.2B	M	0.58	1250	1855	10.483	0.044	0.95	0.42	0.031	0.010	8.01	18.11	0.058	53	725	314	169	J134307102	上开
4	DL14C0198A	SUS304	NO.2B	M	0.88	1250	1219	10.533	0.038	1.03	0.49	0.041	0.003	8.00	18.01	0.058	54	720	305	176	J134299406	下开
5	DL34B1701A	SUS304	NO.2B	M	2.98	1250	352	10.55	0.048	0.93	0.49	0.031	0.005	8.02	18.10	0.058	52	729	315	168	J124279905	下开
6	DL34B1583A	SUS304	NO.2B	M	2.48	1250	429	10.607	0.038	0.93	0.44	0.023	0.004	8.02	18.10	0.058	56	700	316	169	J124280305	上开
7	DL14C1073A	SUS304	NO.2B	M	0.58	1250	1864	10.693	0.060	0.97	0.54	0.032	0.003	8.01	18.02	0.060	54	701	315	171	J124300105	上开
8	DL14C1068B	SUS304	NO.2B	M	0.68	1250	1605	10.701	0.037	0.94	0.43	0.027	0.005	8.00	18.01	0.055	55	713	301	178	J144291704	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div></div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219013
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m	T														
9	DL34B0374B	SUS304	NO.2B	M	1.78	1250	609	10.722	0.045	0.92	0.42	0.029	0.008	8.02	18.07	0.059	56	704	306	165	J124266202	上开
10	DL14C1371B	SUS304	NO.2B	M	1.08	1250	1022	10.729	0.037	0.91	0.50	0.029	0.005	8.00	18.00	0.060	50	708	311	179	J134326304	上开
11	DL34C0373A	SUS304	NO.2B	M	1.95	1250	557	10.733	0.038	0.96	0.48	0.028	0.007	8.01	18.01	0.060	54	691	319	171	J144280004	上开
12	DL14C1396A	SUS304	NO.2B	M	0.85	1250	1283	10.741	0.041	0.89	0.45	0.028	0.003	8.02	18.06	0.060	52	730	318	168	J114287804	下开
13	DL34C1236A	SUS304	NO.2B	M	1.61	1250	672	10.76	0.047	0.89	0.53	0.028	0.004	8.00	18.01	0.060	54	697	316	169	J134320605	上开
14	DL34C0511A	SUS304	NO.2B	M	1.11	1250	988	10.77	0.044	0.95	0.46	0.021	0.005	8.02	18.08	0.058	57	701	309	168	J114276003	上开
15	DL34B1687A	SUS304	NO.2B	M	2.98	1250	362	10.789	0.058	0.90	0.44	0.031	0.008	8.01	18.13	0.060	52	708	309	167	J124280202	上开
16	DL24C0370A	SUS304	NO.2B	M	1.81	1250	602	10.792	0.036	0.90	0.45	0.030	0.004	8.00	18.02	0.061	55	697	316	168	J114275205	上开

说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.	质量负责人 Quality Manager
备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。 Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.	质量专用章 江苏德龙镍业有限公司



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219013
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
牌 号:
Steel Species
标 准:
Standard

佛山市泰裕达铝业集团有限公司
SUS304
JIS G4305:2021

合同号:
Contract No.
产品名称
Product Name

XDTYDGY2025-FSTYD0108B02
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
交货状态:
Delivery Condition

2025年02月19日
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式	
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa				
					mm	mm	m		T														
17	DL34B1686A	SUS304	NO.2B	M	2.98	1250	362	10.799	0.034	0.93	0.39	0.027	0.006	8.00	18.09	0.059	52	726	309	165	J124278301	上开	
18	DL34C1545A	SUS304	NO.2B	M	1.82	1250	596	10.802	0.060	0.93	0.47	0.034	0.008	8.01	18.13	0.060	54	694	318	179	J124309505	上开	
19	DL34C0910A	SUS304	NO.2B	M	1.95	1250	556	10.813	0.034	0.93	0.40	0.030	0.007	8.02	18.05	0.055	55	725	309	168	J134315505	上开	
20	DL34C0362A	SUS304	NO.2B	M	1.91	1250	572	10.823	0.049	0.94	0.39	0.030	0.006	8.02	18.07	0.063	52	705	302	170	J134304704	上开	
21	DL14C1738B	SUS304	NO.2B	M	1.21	1250	913	10.823	0.049	0.92	0.47	0.025	0.004	8.00	18.00	0.056	56	711	311	180	J124307402	上开	
22	DL24A1814A	SUS304	NO.2B	M	2.41	1250	449	10.867	0.043	0.88	0.40	0.028	0.009	8.02	18.06	0.061	52	689	309	174	J144239605	上开	
23	DL24C0885B	SUS304	NO.2B	M	1.78	1250	619	10.871	0.036	0.93	0.46	0.028	0.005	8.00	18.05	0.059	55	730	315	177	J124300402	上开	
24	DL34B0366A	SUS304	NO.2B	M	1.78	1250	618	10.871	0.039	0.91	0.44	0.028	0.003	8.00	18.08	0.057	55	687	295	171	J134277304	上开	
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王桂林</div>	



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219013
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m	T														
25	DL24C1399A	SUS304	NO.2B	M	1.31	1250	839	10.885	0.038	0.90	0.42	0.027	0.008	8.00	18.00	0.061	54	711	300	167	J124304603	上开
26	DL14C1503A	SUS304	NO.2B	M	0.98	1250	1133	10.896	0.034	0.87	0.43	0.024	0.005	8.00	18.06	0.059	56	725	304	167	J134328102	上开
27	DL14C1794B	SUS304	NO.2B	M	0.85	1250	1308	10.9	0.057	0.88	0.41	0.031	0.008	8.03	18.10	0.056	58	683	297	179	J144296706	上开
28	DL24C0423B	SUS304	NO.2B	M	1.71	1250	642	10.911	0.039	0.92	0.44	0.029	0.009	8.02	18.11	0.062	56	725	311	168	J144282301	下开
29	DL24C0879B	SUS304	NO.2B	M	1.61	1250	684	10.919	0.041	0.96	0.43	0.024	0.007	8.01	18.07	0.063	54	706	309	170	J114276605	上开
30	DL24C1128A	SUS304	NO.2B	M	1.82	1250	601	10.922	0.035	0.93	0.47	0.026	0.007	8.02	18.01	0.064	54	704	303	169	J144293504	上开
31	DL24C0382B	SUS304	NO.2B	M	1.91	1250	578	10.923	0.045	0.95	0.47	0.031	0.006	8.01	18.02	0.059	54	704	319	170	J114273703	上开
32	DL24C0883B	SUS304	NO.2B	M	1.61	1250	684	10.929	0.037	0.96	0.41	0.031	0.006	8.01	18.07	0.058	53	701	318	172	J134313403	上开

<p>说明:</p> <p>1、本证明书不得伪造,复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.</p> <p>2、边部Edge:M--Mill表示毛边,C--Cut表示切边。</p> <p>3、本产品经检测无辐射污染,未添加汞。non-radiative contamination,No mercury is added.</p> <p>4、本表产品已按上述要求制造和检验,其结果符合要求,特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</p> <p>备注:本公司取得资质证书</p> <p>1、ISO9001:2015质量管理体系; 2、ISO45001:2018职业健康安全管理体系; 3、ISO14001:2015环境管理体系; 4、ISO10012:2003测量管理体系; 5、欧盟压力设备PED认证; 6、CPR欧盟建筑用材料认证。</p> <p>Remarks: Following quality certification is available:</p> <p>1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</p>		<p>质量负责人 Quality Manager</p> <p>江苏德龙镍业有限公司</p> <p>质量专用章</p>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219013
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达铝业集团有限公司

牌 号:
Steel Species
SUS304

标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
33	DL24C0884B	SUS304	NO.2B	M	1.61	1250	686	10.939	0.048	0.93	0.49	0.035	0.005	8.02	18.06	0.059	54	712	305	165	J124299102	上开
34	DL24C1130B	SUS304	NO.2B	M	1.82	1250	601	10.942	0.043	0.93	0.50	0.028	0.005	8.02	18.05	0.057	54	728	318	167	J114282502	下开
35	DL24B0006B	SUS304	NO.2B	M	2.61	1250	417	10.948	0.038	0.95	0.40	0.032	0.005	8.03	18.10	0.057	53	706	306	167	J114239501	上开
36	DL34C0894B	SUS304	NO.2B	M	1.81	1250	612	10.982	0.048	0.93	0.51	0.032	0.006	8.02	18.05	0.061	54	706	317	171	J124298703	上开
37	DL34B1686B	SUS304	NO.2B	M	2.98	1250	368	10.999	0.034	0.93	0.39	0.027	0.006	8.00	18.09	0.059	52	698	304	169	J124278301	上开
38	DL34C0910B	SUS304	NO.2B	M	1.95	1250	568	11.023	0.034	0.93	0.40	0.030	0.007	8.02	18.05	0.055	56	695	300	166	J134315505	上开
39	DL34B1581B	SUS304	NO.2B	M	2.48	1250	446	11.037	0.042	0.92	0.40	0.020	0.007	8.01	18.11	0.063	53	703	303	166	J114259101	下开
40	DL24A1716B	SUS304	NO.2B	M	2.98	1250	370	11.069	0.053	0.98	0.45	0.030	0.006	8.00	18.04	0.054	56	699	319	169	J134269704	上开

说明：
1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.
2、边部Edge：M--Mill表示毛边，C--Cut表示切边。
3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added.
4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.

备注：本公司取得资质证书
1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。
Remarks: Following quality certification is available:
1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.

质量负责人
Quality Manager

江苏德龙镍业有限公司

质量专用章



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219013
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位：
Purchaser 佛山市泰裕达铝业集团有限公司

牌 号：
Steel Species SUS304


标 准：
Standard JIS G4305:2021

合同号：
Contract No. XDTYDGY2025-FSTYD0108B02

产品名称
Product Name 冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期：
Delivery Date 2025年02月19日

交货状态：
Delivery Condition 固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
41	DL24A1715B	SUS304	NO.2B	M	2.98	1250	370	11.079	0.040	0.91	0.45	0.028	0.007	8.00	18.11	0.060	53	709	315	165	J124258402	上开
42	DL24C1230B	SUS304	NO.2B	M	1.61	1250	692	11.099	0.038	0.90	0.47	0.027	0.005	8.00	18.02	0.060	54	713	320	169	J134320701	上开
43	DL14C1331B	SUS304	NO.2B	M	0.98	1250	1163	11.105	0.042	0.99	0.52	0.031	0.003	8.02	18.00	0.052	52	692	304	181	J114282704	上开
44	DL34C1244B	SUS304	NO.2B	M	1.95	1250	574	11.123	0.041	0.91	0.42	0.027	0.005	8.00	18.07	0.060	53	730	310	169	J114281701	上开
45	DL14C0684A	SUS304	NO.2B	M	0.91	1250	1272	11.331	0.040	0.95	0.43	0.026	0.006	8.01	18.02	0.058	56	712	304	168	J114277204	上开
46	DL34B0611A	SUS304	NO.2B	M	2.91	1250	390	11.359	0.043	0.88	0.40	0.028	0.006	8.02	18.07	0.058	55	704	303	171	J144247701	下开
合计Total								497.938														
说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification. 备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。 Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.																						质量负责人 Quality Manager  质量专用章



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219011
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
1	DL1510066B	SUS304	NO.2B	M	0.98	1250	1064	10.128	0.048	0.98	0.38	0.026	0.006	8.01	18.04	0.058	57	705	304	167	J134340801	下开
2	DL1510408A	SUS304	NO.2B	M	0.75	1250	1423	10.437	0.060	0.98	0.48	0.028	0.007	8.02	18.05	0.059	54	718	318	171	J114301801	上开
3	DL3510916B	SUS304	NO.2B	M	2.48	1250	429	10.637	0.047	0.91	0.38	0.026	0.009	8.00	18.10	0.055	53	726	304	165	J134259603	下开
4	DL2510074B	SUS304	NO.2B	M	1.78	1250	602	10.642	0.036	0.93	0.42	0.026	0.006	8.00	18.03	0.061	52	696	315	178	J144308003	上开
5	DL3510450A	SUS304	NO.2B	M	0.91	1250	1196	10.674	0.055	0.95	0.58	0.031	0.002	8.00	18.04	0.058	52	719	303	169	J114290905	下开
6	DL1510769A	SUS304	NO.2B	M	0.91	1250	1198	10.684	0.046	0.89	0.47	0.029	0.004	8.02	18.11	0.063	56	684	292	177	J144302603	上开
7	DL1510056B	SUS304	NO.2B	M	0.98	1250	1121	10.686	0.046	0.96	0.46	0.024	0.003	8.02	18.02	0.059	51	699	312	178	J144309005	上开
8	DL2510598B	SUS304	NO.2B	M	2.48	1250	431	10.707	0.054	0.93	0.60	0.031	0.004	8.03	18.01	0.055	54	702	343	167	J134263301	上开

<p>说明:</p> <p>1、本证明书不得伪造,复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.</p> <p>2、边部Edge: M--Mill表示毛边, C--Cut表示切边。</p> <p>3、本产品经检测无辐射污染,未添加汞。 non-radiative contamination, No mercury is added.</p> <p>4、本表产品已按上述要求制造和检验,其结果符合要求,特此证明。 We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</p> <p>备注:本公司取得资质证书</p> <p>1、ISO9001:2015质量管理体系; 2、ISO45001:2018职业健康安全管理体系; 3、ISO14001:2015环境管理体系; 4、ISO10012:2003测量管理体系; 5、欧盟压力设备PED认证; 6、CPR欧盟建筑用材料认证。</p> <p>Remarks: Following quality certification is available:</p> <p>1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System; 4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</p>		<div><div>质量负责人 Quality Manager</div><div>江苏德龙镍业有限公司</div><div>质量专用章</div></div>
--	--	--



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219011
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达铝业集团有限公司

牌 号:
Steel Species
SUS304

标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
9	DL3510789B	SUS304	NO.2B	M	1.11	1250	978	10.71	0.032	0.94	0.44	0.026	0.007	8.00	18.04	0.062	52	725	328	165	J124302402	上开
10	DL1510065A	SUS304	NO.2B	M	0.85	1250	1282	10.721	0.053	1.00	0.43	0.026	0.005	8.01	18.01	0.058	52	723	308	171	J144309204	上开
11	DL3510160A	SUS304	NO.2B	M	1.11	1250	984	10.74	0.031	0.86	0.39	0.023	0.008	8.02	18.10	0.064	54	728	319	169	J134329204	上开
12	DL34C2036BA	SUS304	NO.2B	M	1.18	1250	930	10.742	0.043	0.89	0.45	0.025	0.004	8.00	18.06	0.063	53	696	300	169	J114298204	上开
13	DL1510061B	SUS304	NO.2B	M	0.98	1250	1128	10.746	0.045	1.02	0.40	0.027	0.006	8.00	18.05	0.061	55	696	319	170	J134340702	上开
14	DL2510581A	SUS304	NO.2B	M	2.91	1250	365	10.759	0.044	0.90	0.47	0.028	0.004	8.03	18.11	0.060	54	698	319	177	J114242603	上开
15	DL3510836A	SUS304	NO.2B	M	2.48	1250	437	10.797	0.054	0.86	0.39	0.025	0.009	8.02	18.08	0.055	53	728	338	172	J144231106	下开
16	DL3511000A	SUS304	NO.2B	M	2.48	1250	436	10.797	0.053	0.93	0.43	0.029	0.003	8.01	18.00	0.059	53	730	310	170	J134260602	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王世林</div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219011
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达铝业集团有限公司

牌 号:
Steel Species
SUS304

标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式	
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa				
					mm	mm	m		T														
17	DL1510115B	SUS304	NO.2B	M	0.81	1250	1375	10.808	0.048	0.99	0.40	0.022	0.005	8.00	18.07	0.059	56	720	303	168	J114301601	上开	
18	DL1510200A	SUS304	NO.2B	M	0.92	1250	1198	10.814	0.044	0.97	0.52	0.031	0.004	8.01	18.01	0.054	53	712	306	170	J144307003	上开	
19	DL1510201A	SUS304	NO.2B	M	0.92	1250	1198	10.814	0.038	0.94	0.49	0.023	0.004	8.01	18.03	0.059	50	719	312	178	J144301002	上开	
20	DL1510202A	SUS304	NO.2B	M	0.92	1250	1198	10.824	0.039	0.96	0.47	0.030	0.004	8.00	18.06	0.056	53	695	308	166	J134340105	上开	
21	DL3510844A	SUS304	NO.2B	M	2.31	1250	468	10.826	0.035	0.93	0.50	0.030	0.003	8.01	18.02	0.058	56	702	318	169	J134275601	上开	
22	DL3510917A	SUS304	NO.2B	M	2.41	1250	447	10.827	0.035	0.93	0.49	0.030	0.006	8.00	18.02	0.063	55	707	304	169	J124262403	上开	
23	DL3510817A	SUS304	NO.2B	M	2.98	1250	361	10.829	0.047	0.91	0.43	0.028	0.005	8.00	18.07	0.061	57	728	344	178	J124265901	下开	
24	DL3510813A	SUS304	NO.2B	M	2.91	1250	370	10.859	0.055	0.85	0.42	0.029	0.006	8.02	18.04	0.063	52	698	327	182	J124265404	上开	
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王桂林</div>	



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219011
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
25	DL1510149B	SUS304	NO.2B	M	0.91	1250	1232	10.913	0.037	0.93	0.47	0.030	0.005	8.02	18.07	0.060	52	690	305	169	J144302002	上开
26	DL3510814B	SUS304	NO.2B	M	2.91	1250	372	10.929	0.043	0.94	0.47	0.034	0.005	8.01	18.05	0.058	52	723	370	170	J134282003	下开
27	DL2510589A	SUS304	NO.2B	M	2.81	1250	386	10.939	0.040	0.86	0.46	0.028	0.004	8.01	18.04	0.056	55	692	334	172	J134277604	上开
28	DL3510812B	SUS304	NO.2B	M	2.98	1250	364	10.939	0.051	1.00	0.56	0.030	0.003	8.01	18.00	0.060	52	694	352	165	J114244805	上开
29	DL3510827B	SUS304	NO.2B	M	2.61	1250	416	10.948	0.047	0.87	0.47	0.029	0.004	8.01	18.01	0.056	54	716	327	175	J134267301	上开
30	DL2510597A	SUS304	NO.2B	M	2.48	1250	442	10.957	0.044	0.90	0.47	0.032	0.005	8.00	18.02	0.057	54	711	361	166	J114232803	上开
31	DL2510598A	SUS304	NO.2B	M	2.48	1250	442	10.957	0.054	0.93	0.60	0.031	0.004	8.03	18.01	0.055	54	718	327	171	J134263301	上开
32	DL2510599A	SUS304	NO.2B	M	2.48	1250	442	10.967	0.036	0.88	0.43	0.029	0.007	8.00	18.07	0.055	52	717	325	183	J114231805	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div></div>



江苏德龙镍业有限公司


JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219011
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位: Purchaser	佛山市泰裕达铝业集团有限公司	合同号: Contract No.	XDTYDGY2025-FSTYD0108B02	发货日期: Delivery Date	2025年02月19日
牌 号: Steel Species	SUS304	产品名称 Product Name	冷轧不锈钢卷 Stainless Steel Cold Rolled Coil	交货状态: Delivery Condition	固溶酸洗 Solution & Anneal
标 准: Standard	JIS G4305:2021				

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
33	DL2510600A	SUS304	NO.2B	M	2.48	1250	442	10.967	0.039	0.89	0.38	0.026	0.005	8.01	18.06	0.060	55	696	353	176	J144231605	上开
34	DL3510844B	SUS304	NO.2B	M	2.31	1250	474	10.976	0.035	0.93	0.50	0.030	0.003	8.01	18.02	0.058	53	699	318	166	J134275601	上开
35	DL3510817B	SUS304	NO.2B	M	2.98	1250	366	10.999	0.047	0.91	0.43	0.028	0.005	8.00	18.07	0.061	56	707	360	177	J124265901	上开
36	DL3510917B	SUS304	NO.2B	M	2.41	1250	454	11.007	0.035	0.93	0.49	0.030	0.006	8.00	18.02	0.063	52	727	307	171	J124262403	上开
37	DL3510818B	SUS304	NO.2B	M	2.98	1250	368	11.019	0.040	0.89	0.39	0.025	0.006	8.01	18.04	0.060	53	692	367	166	J144231703	上开
38	DL2510196B	SUS304	NO.2B	M	1.35	1250	801	11.046	0.052	0.93	0.40	0.042	0.005	8.01	18.11	0.060	57	696	308	165	J114296102	下开
39	DL3510434B	SUS304	NO.2B	M	0.91	1250	1247	11.082	0.039	1.05	0.45	0.024	0.003	8.01	18.12	0.061	53	729	301	165	J134340603	上开
40	DL1510058A	SUS304	NO.2B	M	0.98	1250	1167	11.203	0.043	0.95	0.38	0.036	0.006	8.03	18.10	0.061	52	696	301	170	J114302604	上开
<div>说明： 1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively. 2、边部Edge：M--Mill表示毛边，C--Cut表示切边。 3、本产品经检测无辐射污染，未添加汞。non-radiative contamination,No mercury is added. 4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书 1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available: 1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						<div>质量负责人 Quality Manager</div> <div></div>



江苏德龙镍业有限公司

JIANGSU DELONG NICKEL INDUSTRY
CO.,LTD.

产品质量证明书
INSPECTION CERTIFICATE



NO:DLYC250219011
Tel : 0515-86868999 转 8265
Fax : 0515-86788837
地址：江苏省盐城市响水工业经济区
Add : Xiangshui Industrial Economic
Zone, Yancheng City, Jiangsu Province

收货单位:
Purchaser
佛山市泰裕达钢铁集团有限公司

牌 号:
Steel Species
SUS304

标 准:
Standard
JIS G4305:2021

合同号:
Contract No.
XDTYDGY2025-FSTYD0108B02

产品名称
Product Name
冷轧不锈钢卷
Stainless Steel Cold Rolled Coil

发货日期:
Delivery Date
2025年02月19日

交货状态:
Delivery Condition
固溶酸洗
Solution & Anneal

序 号 No	钢卷号码 Coil No.	钢种 Grade	表面状态 Surface State	边部 M/C	规格尺寸 Specification & Dimension			重量 Weight	化学成分(%) Chemical Composition (%)								力学性能 (L0=50mm) Mechanical Property			硬度 Hardness HV	钢坯号码 Slab No.	建议开卷方式
					厚度 Thickness	宽度 Width	长度 Length		C	Mn	Si	P	S	Ni	Cr	N	伸长 EL %	抗拉 T.S. MPa	屈服 Y.S. 0.2MPa			
					mm	mm	m		T													
41	DL3510203B	SUS304	NO.2B	M	1.35	1250	840	11.215	0.042	0.93	0.55	0.026	0.004	8.00	18.02	0.058	52	710	313	172	J134323202	上开
合计Total								444.271														
<div>说明：</div> <div>1、本证明书不得伪造，复印件需加盖经销商红章方有效。 This certificate shall not be forged,copy needs stamp dealer red chapter party effectively.</div> <div>2、边部Edge：M- Mill表示毛边，C- Cut表示切边。</div> <div>3、本产品经检测无辐射污染，未添加汞。non-radiative contamination.No mercury is added.</div> <div>4、本表产品已按上述要求制造和检验，其结果符合要求，特此证明。We hereby certify that the product described herein has been manufactured and tested with satisfactory results in accordance with above material specification.</div> <div>备注：本公司取得资质证书</div> <div>1、ISO9001:2015质量管理体系；2、ISO45001:2018职业健康安全管理体系； 3、ISO14001:2015环境管理体系；4、ISO10012:2003测量管理体系；5、欧盟压力设备PED认证；6、CPR欧盟建筑用材料认证。</div> <div>Remarks: Following quality certification is available:</div> <div>1、ISO9001:2015 Quality Management System; 2、ISO451001:2018 Occupational Health and Safety Management System; 3、ISO14001:2015 Environmental Management System;4、ISO10012:2003 measurement management system; 5、European Union pressure equipment PED certification; 6、CPR European Union certification of building materials.</div>																						
<div>质量负责人 Quality Manager</div> <div>江苏德龙镍业有限公司</div> <div>质量专用章</div> <div>王峰林</div>																						